

Udderly Quiet® Acoustic Panel - 250 Series

Polyester Fabric Upholstered Acoustic Panel with a Mineral Wool Core

Features & Benefits:

- **Superior Acoustic Performance** – Udderly Quiet® Acoustic Panels are our premium sound absorption product that can be used anywhere reverberation (echo) is an issue. Our acoustic panels will improve speech intelligibility, improve production and improve any listening or recording environment.
- **Exceptional Quality** - Udderly Quiet® Acoustic Panels are a highly finished professional product. Udderly Quiet® Acoustic Panels are meticulously hand-made by experienced craftsmen that take pride in the product they build.
- **Fabric Covering Variety** - Udderly Quiet® Acoustic Panels are available with an endless variety of fabric options. Choose the fabric color and texture that best matches your existing décor. If desired, we will match your fabric of choice.



Tech Specs:

Here is some Technical Info you probably don't want to read but should know.

Size Availability: Up to 4 ft. x 10 ft., Large format panels are available.

Thickness: 1 inch and 2 inch

Tolerance: +/- 1/4 inch

Core: 6 lb. Acoustical Fiberglass

Covering: Acoustic Fabric

Edge Detail: Aluminum Frame

Edge Profile: Square, Bevel, Rounded

Mounting: Adhesive or Z-clip

General Application: Walls

Mounting Surfaces: All Surfaces including Drywall, Brick & Concrete

Flamability: Class A - Does not exceed 25 Flame Spread, 50 Smoke Developed when tested in accordance with ASTM E84, UL 723 and NFPA 255. Indoor Air Quality: Certified as a low emitting product by the GREENGUARD Environmental Institute to both the GREENGUARD Certification Program and the more stringent GREENGUARD Children and Schools standard.

Acoustic Data:

thickness	covering	density	125	250	500	1K	2K	4K	NRC*
1 inch	fabric	6 lb.	.14	.27	.74	1.01	1.10	1.30	0.80
2 inch	fabric	6 lb.	.51	.96	.98	1.01	.95	.98	1.00

* NRC = noise reduction coefficient

Udderly Quiet® Acoustic Panel - 250 Series



continued on back of page

Acoustic Core:

- 6-7 lb. Fiberglass

Edge Type:

- Fabric wrapped, internal aluminum frame

Thickness Options:

- 1 inch
- 2 inch

Size Options:

- Large format available with Aluminum Frame

Fabric Options:

Udderly Quiet® Acoustic Panels are available in an endless variety of colors, textures and patterns to create a highly customized, unique space. Fabrics are typically used to improve or maintain the aesthetics of a space. If you have a fabric already picked out, we will mount it on our acoustic panels. To members of the specifying community that wish to receive a listing of all available covering materials, please contact our Acoustic Consultants.

Illustrated below are a few of our most popular fabric collections. All of the fabric options listed are made with 100% recycled polyester fibers and may be cleaned with mild, water-based cleaning agents.

- **FR701** - Classic woven style in subtle texture offers timeless appeal. Understated earth tones provide a perfect background for bolder accents.
- **Anchorage** - A classic crepe style is brought to life with today's updated colors. Soft texture and a wide variety of rich, bold hues makes this collection perfect as a foundation or accent.

Mounting Options:

- **Adhesive** - Adhesive mounting is ideally suited for permanent applications requiring speed and ease of installation.
- **Z-clip** - Z clip mounting is ideal for applications where frequent panel removal & re-hanging is required.








































continued on back of page

Recycled Content

Panel | Acoustic

Anchorage 2335

 Whitef 2664	 Vanilla 2130	 Lemon 2839	 Geranium 2084	 Fossil 2093	 Drift 8570	 Birch 2129	 Sunshine 2082	 Poppy 2091	 Graphite 2079	 Pearl 8573	 Angora 2035	 Straw 2034	 Red Delicious 2014	 Coffee Bean 2083	 Shell 8572	 Goose 2049	 Goldenrod 2090	 Mulberry 2044	 Aubergine 2036	 Dune 8583	 Cumlin 2050	 Pumpkin 2021	 Orchid 2843	 Onyx 2016	 Overcast 8575	 Asteroid 2053	 Pine Needle 2022	 Deep Water 2051	 Midnight 2025	 Fog 8586	 Wolf 2027	 Fern 2840	 Turquoise 2841	 Cobalt 2045	 Foam 8585	 Slate 2017	 Willow 2028	 Waterfall 2691	 Thistle 2085	 Dew 8579	 Breeze 8582	 Green Apple 2087	 Bay 8703	 Lapis 2094	 North Star 8578	 Shadow 6694	 Eucalyptus 2047	 Quarry Blue 2026	 Pool 2842
--	---	---	---	--	---	---	--	--	--	---	--	---	--	---	---	---	---	---	---	--	--	---	---	--	--	--	---	---	--	---	--	--	--	--	--	---	--	--	---	---	--	---	--	---	--	--	--	--	--

† Suitable for printing

Anchorage 2335

Panel | Acoustic

Specifications

Content	100% post-consumer recycled polyester
Weight	15.2 ± 1.0 oz./lin. yd
Width	66" min. useable
Repeat	none

Cleaning Code

Standard Care Label W-S. Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup. May also be disinfected with hydrogen peroxide, alcohol, and quaternary ammonium (quat) based cleaners.

Miscellaneous

- Application testing of this product is recommended.
- Colors may vary between dye lots.

Proudly woven in North America supporting our local communities.


Sustainability


100% recycled and recyclable


Guilford of Maine Collection

Renowned for its exceptional performance and style, Guilford of Maine has set industry standards in acoustics and panel fabrics for many decades. We present the Guilford of Maine Collection - a selection of timeless fabrics

Performance

 **Colorfastness to light (AATCC 16.3 Option 3)**
Grade 4 min. at 40 hours

 **Colorfastness to crocking (AATCC 8)**
Grade 4 min. dry & Grade 3 min. wet

 **Breaking Strength (ASTM D5034)**
275 lbf min. warp and fill


 **Flammability**
ASTM E84 Class I or A

Acoustical Performance

Our acoustic fabrics are all acoustically transparent. This represents the amount of sound that passes through the fabric.

Acoustic Transparency: 85%

For more detailed results, please consult our website.

 This pattern is included in the underwriters laboratory panel fabric recognition program. Additional testing of this U.L. recognized fabric is not required on approved panels from participating manufacturers.

Certification Marks owned by the Association for Contract Textiles, Inc.



duvaltex

PHONE: 1-866-949-9269

USA & INTERNATIONAL | T 800-544-0200
CANADA | T 418 227-9897

For samples, visit duvaltex.com

EMAIL: sales@soundproofcow.com

WEB: www.soundproofcow.com



FC- 2335 25/02

Recycled Content
Bleach Cleanable

Panel | Acoustic


FR701® 2100



White
224




Eggshell
144




Bone
748



Wheat
130



Quartz
380




Pearl
481



Yellow
744




Lime
721




Fir
743



Verte Papier
561




Opal
394



Desert Sand
758




Sunshine
797



Sky
740



Teal
742



Coin
794



Silver Papier
538



Cement Mix
750



Orange
746




Sapphire
745



Ultramarine
470



Blue Papier
539



Grey Mix
238



Silver Neutral
406




Cardinal
738



Cobalt
420




Wedgewood
150



Crystal Blue
175



Flannel
795



Moleskin
796



Red
799




Iris
798



Baltic
153



Steel Grey
471



Medium Grey
298



Black
408

FR701[®] 2100

Panel | Acoustic

Specifications

Content	100% post-consumer recycled polyester
Weight	16.0 ± 0.5 oz./lin. yd
Width	66" min. useable
Repeat	none

Cleaning Code

Standard Care Label W-S. Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup.

Bleach Cleanable - May be cleaned with a 10% bleach-to-water solution. Rinse well after cleaning. May also be disinfected with hydrogen peroxide, alcohol, and quaternary ammonium (quat) based cleaners.

Miscellaneous

- Application testing of this product is recommended.
- Colors may vary between dye lots.
- This is a non-directional fabric.

Proudly woven in North America supporting our local communities.

Sustainability


100% recycled and recyclable





Renowned for its exceptional performance and style, Guilford of Maine has set industry standards in acoustics and panel fabrics for many decades. We present the Guilford of Maine Collection - a selection of timeless fabrics.




Performance

 **Colorfastness to light (AATCC 16.3 Option 3)**
Grade 4 min. at 40 hours

 **Colorfastness to crocking (AATCC 8)**
Grade 4 min. dry & Grade 3 min. wet

 **Breaking Strength (ASTM D5034)**
150 lbf min. warp and fill

 **Flammability**
ASTM E84 Class I or A

Acoustical Performance

Our acoustic fabrics are all acoustically transparent. This represents the amount of sound that passes through the fabric.

Acoustic Transparency: 95%

For more detailed results, please consult our website.



This pattern is included in the underwriters laboratory panel fabric recognition program. Additional testing of this U.L. recognized fabric is not required on approved panels from participating manufacturers.

Certification Marks owned by the Association for Contract Textiles, Inc.

duvaltx

USA & INTERNATIONAL | T 800-544-0200
CANADA | T 418 227-9897

For samples, visit [x.com">duvaltx.com](http://duvalt<span style=)